YALE UNIVERSITY

BRIEF SUBSTANCE ABUSE ATTITUDE SURVEY

INSTRUCTIONS: Indicate your degree of agreement or disagreement by circling your choice to the right of each statement. There are no right or wrong answers.	Strongly Disagree1	Disagree2	Undecided3	Agree4	Strongly Agree5
1. Alcoholism is associated with a weak will.	Strongly Disagree1	Disagree2	Undecided3	Agree4	Strongly Agree5
2. An alcohol or drug dependent person cannot be helped until he/she has hit rock bottom.	Strongly Disagree1	Disagree2	Undecided3	Agree4	Strongly Agree5
3. Heroin is so addicting that no one can really recover once he/she becomes an addict.	Strongly Disagree1	Disagree2	Undecided3	Agree4	Strongly Agree5
4. Alcohol and drug abusers should only be treated by specialists in that field.	Strongly Disagree1	Disagree2	Undecided3	Agree4	Strongly Agree5
5. Smoking leads to marijuana use, which in turn leads to hard drugs.	Strongly Disagree1	Disagree2	Undecided3	Agree4	Strongly Agree5
6. Physicians who diagnose alcoholism early improve the chance of treatment success.	Strongly Disagree1	Disagree2	Undecided3	Agree4	Strongly Agree5
7. Daily use of one marijuana cigarette is not necessarily harmful.	Strongly Disagree1	Disagree2	Undecided3	Agree4	Strongly Agree5
8. Urine drug screening can be an important part of drug abuse treatment.	Strongly Disagree1	Disagree2	Undecided3	Agree4	Strongly Agree5
9. A physician who has been addicted to narcotics should not be allowed to practice medicine again.	Strongly Disagree1	Disagree2	Undecided3	Agree4	Strongly Agree5
10. Marijuana use among teenagers can be a healthy experiment.	Strongly Disagree1	Disagree2	Undecided3	Agree4	Strongly Agree5
11. An alcohol or drug addicted person who has relapsed several times probably cannot be treated.	Strongly Disagree1	Disagree2	Undecided3	Agree4	Strongly Agree5
12. Long-term outpatient treatment is necessary for the treatment of drug addiction.	Strongly Disagree1	Disagree2	Undecided3	Agree4	Strongly Agree5

13. Paraprofessional counselors can provide effective treatment for drug and alcohol abusers.	Strongly Disagree1	Disagree2	Undecided3	Agree4	Strongly Agree5
14. Lifelong abstinence is a necessary goal in the treatment of alcoholism.	Strongly Disagree1	Disagree2	Undecided3	Agree4	Strongly Agree5
15. Once a person becomes drug- free through treatment, he can never become a social user.	Strongly Disagree1	Disagree2	Undecided3	Agree4	Strongly Agree5
16. Drug addiction is a treatable illness.	Strongly Disagree1	Disagree2	Undecided3	Agree4	Strongly Agree5
17. Group therapy is very important in the treatment of alcoholism or drug addiction.	Strongly Disagree1	Disagree2	Undecided3	Agree4	Strongly Agree5
18. A hospital is the best place to treat an alcoholic or drug addict	Strongly Disagree1	Disagree2	Undecided3	Agree4	Strongly Agree5
19. Alcoholism is a treatable illness.	Strongly Disagree1	Disagree2	Undecided3	Agree4	Strongly Agree5
20. Most alcohol and drug dependent persons are unpleasant to work with as patients.	Strongly Disagree1	Disagree2	Undecided3	Agree4	Strongly Agree5
21. Pregnant women who use alcohol or other drugs should be punished.	Strongly Disagree1	Disagree2	Undecided3	Agree4	Strongly Agree5
22. Coercive pressure, such as threat or punishment, is useful in getting resistant patients to accept treatment.	Strongly Disagree1	Disagree2	Undecided3	Agree4	Strongly Agree5
23. A recovering person who is active in Alcoholics Anonymous does not respond well to psychotherapy.	Strongly Disagree1	Disagree2	Undecided3	Agree4	Strongly Agree5
24. A nurse who is drug dependent should not be allowed to give medications to patients.	Strongly Disagree1	Disagree2	Undecided3	Agree4	Strongly Agree5
25. Active participation in a program such as AA is essential for a patient to recover from alcohol or drug dependence.	Strongly Disagree1	Disagree2	Undecided3	Agree4	Strongly Agree5